EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	578	server same (process$3) with (data adj type or data$type or datatype)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:07
S2	304	server same (process$3) with (data adj type or data$type or datatype) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:08
S3	47	server same (process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:12
S4	5	(database with server) same (process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:14
S5	19	((database or back-end or backend or back-adj end) with server) same (process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:15
S6	16	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle$tier or middle) adj server)) and (process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:16

S7	108	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle$tier or middle) adj server)) and (code or compute or process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707". clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:17
S8	114	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle$tier or middle) adj server)) and (code or comput$3 or process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707". clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:20
S9	2	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle$tier or middle) adj server)) same (code or comput$3 or process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:19
S10	72	(((database or back-end or backend or back-adj end) with server) same ((application or middle adj tier or middle$tier or middle) adj server)) and (code or comput$3 or process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707". clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:18
S11	3	(((database or back-end or backend or back-adj end) with server) and ((application or middle adj tier or middle$tier or middle) adj server)) and (copy$3 or replicat$3 ir transfer$4) same (code or comput$3 or process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 13:32

| S12 | 13 | (((database or back-end or backend or back-adj end) with server) same ((application or middle adj tier or middle$tier or middle) adj server) same (copy$3 or replicat$3 ir transfer$4)) and (code or comput$3 or process$3) with (data adj type or data$type or datatype) with (assembly or package or component or code) and ("707".clas. or "709".clas.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/18 13:34 |